



COMMON FINISHES		
DESIGNATION	PROCESS CONTACT	NON-PROCESS CONTACT
-1	MILL	MILL
-7	32 RA	32 RA
-PL	20 RA	32 RA
-PO	20 RA EP	32 RA
-PM	15 RA EP	32 RA

REV	DESCRIPTION	DATE
A	ADDED WALL THICKNESS AND FACE OD COLUMNS	15OCT2025



SECTION A-A



SIZE (A)		OAL (B)		WALL THICKNESS (C)		GROOVE DIAMETER (D)		FACE OD (E)	
IN	MM	IN	MM	IN	MM	IN	MM	IN	MM
0.25	6.35	0.50	12.70	0.035	0.89	0.800	20.32	0.984	24.99
0.375	9.53	0.50	12.70	0.035	0.89	0.800	20.32	0.984	24.99
0.5	12.70	0.50	12.70	0.065	1.65	0.800	20.32	0.984	24.99
0.75	19.05	0.50	12.70	0.065	1.65	0.800	20.32	0.984	24.99
1	25.40	0.50	12.70	0.065	1.65	1.718	43.64	1.984	50.39
1.5	38.10	0.50	12.70	0.065	1.65	1.718	43.64	1.984	50.39
2	50.80	0.50	12.70	0.065	1.65	2.218	56.34	2.516	63.91
2.5	63.50	0.50	12.70	0.065	1.65	2.781	70.64	3.047	77.39
3	76.20	0.50	12.70	0.065	1.65	3.281	83.34	3.579	90.91
4	101.60	0.63	15.88	0.083	2.11	4.344	110.34	4.682	118.92
5	127.00	0.63	15.88	0.109	2.77	5.296	134.52	5.687	144.45
6	152.40	0.75	19.05	0.109	2.77	6.176	156.87	6.570	166.88
8	203.20	0.85	21.59	0.109	2.77	8.165	207.39	8.570	217.68
10	254.00	0.88	22.23	0.109	2.77	10.151	257.84	10.570	268.48
12	304.80	0.88	22.23	0.109	2.77	12.151	308.64	12.570	319.28

* INFORMATION PROVIDED IN THIS DRAWING IS FOR REFERENCE ONLY. FINISH AVAILABILITY DEPENDANT ON MATERIAL



PART NO.:

14WMPS

DESCRIPTION:

SHORT FERRULE, TC X
BW

MATERIAL OPTIONS:

304/304L SS

316/316L SS

AL-6XN® - N08367

HASTELLOY® C-22® - N06022

DWG NO.

CD14WMPS

CREATION DATE

29JUL2025

SHEET

1 OF 1

REV.

A