


Spare Parts

Unique Single Seat Valve - Direct Acting




100004096-EN3

2024-11

Original manual

The information herein is correct at the time of issue but may be subject to change without prior notice

1. Unique SSV - Direct Acting - Shut-off Valve	4
2. Unique SSV - Direct Acting - Shut-off Valve, TR2	8



Unique SSV - Direct Acting - Shut-off Valve

Pos	Qty	Denomination	DN25 25 mm	DN40 38 mm	DN50 51 mm	DN65 63.5 mm	DN80 76.1 mm	DN100 101.6 mm
		Actuator, complete , (NO) ...	9613154801	9613154801	9613154802	9613154803	9613154804	9613154805
		Actuator, complete, (NC) ...	9613154806	9613154806	9613154807	9613154808	9613154809	9613154810
		Actuator, complete (A/A), (A/A)	9613154811	9613154811	9613154812	9613154813	9613154814	9613154815
5	1	Adapter, plastic (- 0115)						
5	1	Adapter, steel (0115 - 0518)						
5	1	Adapter, steel (0518 -)	9615374701	9615374701	9615374701	9615374701	9615374701	9615374701
6	•	Bushing						
7	•	O-ring						
8	•	O-ring						
9	1	Plug	9613414101	9613414101	9613414101	9613414101	9613414101	9613414101
12	1(2	Air fitting	9611991988	9611991988	9611991988	9611991988	9611991988	9611991988
)							

Valve body part

Sealing element

20	1	Sealing element	9613127102	9613127102	9613127103	9613127104	9613127105	9613127106
21	Δ	2 O-ring, EPDM (standard) ...						
21	2	O-ring, NBR						
21	2	O-ring, FPM						
		O-ring, set (10 pcs.) EPDM .	9614059422	9614059422	9614059425	9614059428	9614059431	9614059434
		O-ring, set (10 pcs.) HNBR .	9614059423	9614059423	9614059426	9614059429	9614059432	9614059435
		O-ring, set (10 pcs.) FPM ..	9614059424	9614059424	9614059427	9614059430	9614059433	9614059436
24	1	Bearing	9613125001	9613125001	9613125001	9613125001	9613125001	9613125001
25	Δ	1 Lip seal, EPDM (standard) ..						
25	1	Lip seal, NBR						
25	1	Lip seal, FPM						
		Lip seal, set (10 pcs.) EPDM	9614059419	9614059419	9614059419	9614059419	9614059419	9614059419
		Lip seal, set (10 pcs.) HNBR	9614059420	9614059420	9614059420	9614059420	9614059420	9614059420
		Lip seal, set (10 pcs.) FPM .	9614059421	9614059421	9614059421	9614059421	9614059421	9614059421
33	1	Lower bonnet						

Seat


21	2	O-ring, EPDM (standard) ...						
21	2	O-ring, NBR						
21	2	O-ring, FPM						
		O-ring, set (10 pcs.) EPDM .	9614059422	9614059422	9614059425	9614059428	9614059431	9614059434
		O-ring, set (10 pcs.) HNBR .	9614059423	9614059423	9614059426	9614059429	9614059432	9614059435
		O-ring, set (10 pcs.) FPM ..	9614059424	9614059424	9614059427	9614059430	9614059433	9614059436
28	1	Seat	9613127501	9613127502	9613127503	9613127504	9613127505	9613127506

Clamp

19	3	Clamp	9612939303	9612939303	9612939304	9612939305	9612939306	9612939307
----	---	-------------	------------	------------	------------	------------	------------	------------

Valve body

26	2	Valve body, upper, 1 port ISO	9613139301	9613139303	9613139305	9613139307	9613139309	9613139311
26	2	Valve body, upper, 1 port DIN	9613139401	9613139403	9613139405	9613139407	9613139409	9613139411
26	2	Valve body, upper, 2 ports ISO	9613139302	9613139304	9613139306	9613139308	9613139310	9613139312
26	2	Valve body, upper, 2 ports DIN	9613139402	9613139404	9613139406	9613139408	9613139410	9613139412



Unique SSV - Direct Acting - Shut-off Valve

Pos	Qty	Denomination	DN25 25 mm	DN40 38 mm	DN50 51 mm	DN65 63.5 mm	DN80 76.1 mm	DN100 101.6 mm
Valve plug								
23	1	Plug, shut off, ISO, complete, EPDM (standard)	9613138801	9613138802	9613138803	9613138804	9613138805	9613138806
23	1	Plug, shut off, ISO, complete, HNBR	9613138813	9613138814	9613138815	9613138816	9613138817	9613138818
23	1	Plug, shut off, ISO, complete, FPM	9613138825	9613138826	9613138827	9613138828	9613138829	9613138830
23	1	Plug, shut off, DIN, complete, EPDM (standard)	9613138807	9613138808	9613138809	9613138810	9613138811	9613138812
23	1	Plug, shut off, DIN, complete, HNBR	9613138819	9613138820	9613138821	9613138822	9613138823	9613138824
23	1	Plug, shut off, DIN, complete, FPM	9613138831	9613138832	9613138833	9613138834	9613138835	9613138836
23.	1	Plug, shut off, ISO	9613149601	9613139802	9613139803	9613139804	9613139805	9613139806
23.	1	Plug, shut off, DIN	9613149602	9613139808	9613139809	9613139810	9613139811	9613139812
23. Δ	1	Plug seal, EPDM (standard)						
23.	1	Plug seal, HNBR						
23.	1	Plug seal, FPM						
		Plug seal, set (10 pcs.) EPDM	9614059401	9614059404	9614059407	9614059410	9614059413	9614059416
		Plug seal, set (10 pcs.) HNBR	9614059402	9614059405	9614059408	9614059411	9614059414	9614059417
		Plug seal, set (10 pcs.) FPM	9614059403	9614059406	9614059409	9614059412	9614059415	9614059418
Valve body with finish outside RA 0.8								
26	2	Valve body, upper, 1 port ISO	9613139313	9613139315	9613139317	9613139319	9613139321	9613139323
26	2	Valve body, upper, 1 port DIN	9613139413	9613139415	9613139417	9613139419	9613139421	9613139423
26	2	Valve body, upper, 2 ports ISO	9613139314	9613139316	9613139318	9613139320	9613139322	9613139324
26	2	Valve body, upper, 2 ports DIN	9613139414	9613139416	9613139418	9613139420	9613139422	9613139424

Parts marked with ● are included in the service kits (actuator)

Parts marked with Δ are included in the service kits (product wetted parts)


Tool for bushing (pos. 24) item no.: 9613160901

Recommended spare parts: Service kits.

TD900735-1

Service kits

		DN25 25 mm	DN40 38 mm	DN50 51 mm	DN65 63.5 mm	DN80 76.1 mm	DN100 101.6 mm
●	Service kit, actuator	9611926500	9611926500	9611926500	9611926500	9611926500	9611926500
Δ	Service kit, EPDM	9611926501	9611926502	9611926503	9611926504	9611926505	9611926506
Δ	Service kit, HNBR	9611926507	9611926508	9611926509	9611926510	9611926511	9611926512
Δ	Service kit, FPM	9611926513	9611926514	9611926515	9611926516	9611926517	9611926518



Unique SSV - Direct Acting - Shut-off Valve, TR2

Pos	Qty	Denomination	DN25 25 mm	DN40 38 mm	DN50 51 mm	DN65 63.5 mm	DN80 76.1 mm	DN100 101.6 mm
		Actuator, complete (NO)	9613154801	9613154801	9613154802	9613154803	9613154804	9613154805
		Actuator, complete (NC)	9613154806	9613154806	9613154807	9613154808	9613154809	9613154810
		Actuator, complete (A/A)	9613154811	9613154811	9613154812	9613154813	9613154814	9613154815
5	1	Adapter, plastic (- 0115)						
5	1	Adapter, steel (0115 - 0518)						
5	1	Adapter, steel (0518 -)	9615374701	9615374701	9615374701	9615374701	9615374701	9615374701
6	□	Bushing						
7	□	O-ring						
8	□	O-ring						
9	1	Plug	9613414101	9613414101	9613414101	9613414101	9613414101	9613414101
12	1(2	Air fitting	9611991988	9611991988	9611991988	9611991988	9611991988	9611991988

Valve body parts

Sealing element

20	1	Sealing element	9613127102	9613127102	9613127103	9613127104	9613127105	9613127106
21	Δ	O-ring, EPDM (standard) ...						
21	2	O-ring, NBR						
21	2	O-ring, FPM						
21	2	O-ring, FEPM						
		O-ring, set (10 pcs.) EPDM .	9614059422	9614059422	9614059425	9614059428	9614059431	9614059434
		O-ring, set (10 pcs.) HNBR .	9614059423	9614059423	9614059426	9614059429	9614059432	9614059435
		O-ring, set (10 pcs.) FPM ..	9614059424	9614059424	9614059427	9614059430	9614059433	9614059436
24	1	Bearing	9613125001	9613125001	9613125001	9613125001	9613125001	9613125001
25	Δ	Lip seal, EPDM (standard) ..						
25	1	Lip seal, NBR						
25	1	Lip seal, FPM						
25	1	Lip Seal, FEPM						
		Lip seal, set (10 pcs.) EPDM	9614059419	9614059419	9614059419	9614059419	9614059419	9614059419
		Lip seal, set (10 pcs.) HNBR	9614059420	9614059420	9614059420	9614059420	9614059420	9614059420
		Lip seal, set (10 pcs.) FPM .	9614059421	9614059421	9614059421	9614059421	9614059421	9614059421
33	1	Lower bonnet	9613130102	9613130102	9613130103	9613130104	9613130105	9613130106

Seat

21	Δ	O-ring, EPDM (standard) ...						
21	2	O-ring, NBR						
21	2	O-ring, FPM						
21	2	O-ring, FEPM						
		O-ring, set (10 pcs.) EPDM .	9614059422	9614059422	9614059425	9614059428	9614059431	9614059434
		O-ring, set (10 pcs.) HNBR .	9614059423	9614059423	9614059426	9614059429	9614059432	9614059435
		O-ring, set (10 pcs.) FPM ..	9614059424	9614059424	9614059427	9614059430	9614059433	9614059436
28	1	Seat	9613127501	9613127502	9613127503	9613127504	9613127505	9613127506

Clamp

19	3	Clamp	9612939303	9612939303	9612939304	9612939305	9612939306	9612939307
----	---	-------------	------------	------------	------------	------------	------------	------------

Valve body

26	2	Valve body, upper, 1 port ISO	9613139301	9613139303	9613139305	9613139307	9613139309	9613139311
26	2	Valve body, upper, 1 port DIN	9613139401	9613139403	9613139405	9613139407	9613139409	9613139411
26	2	Valve body, upper, 2 ports ISO	9613139302	9613139304	9613139306	9613139308	9613139310	9613139312
26	2	Valve body, upper, 2 ports DIN	9613139402	9613139404	9613139406	9613139408	9613139410	9613139412

Valve plug


36	1	Plug, shut off, complete	9613155801	9613155802	9613155803	9613155804	9613155805	9613155806
36.	1	Plug, shut off	9613147301	9613151101	9613151102	9613151103	9613151104	9613151105
36.	Δ	Plug seal, PTFE						
36.	2	Plug seal, set (10 pcs.) PTFE	9614059448	9614059449	9614059450	9614059451	9614059452	9614059453
36.	2	Plug seal, PEEK						
36.	1	Plug seal, set (10 pcs.) PEEK	8010024281	8010024282	8010024283	8010024284	8010024285	8010024286

Parts marked with □ are included in the service kits (actuator).

Parts marked with Δ are included in the service kits. (product wetted parts)

Recommended spare parts: Service kits.

TD700736/-3



Service kits

		DN25 25 mm	DN40 38 mm	DN50 51 mm	DN65 63.5 mm	DN80 76.1 mm	DN100 101.6 mm
□	Service kit, actuator	9611926500	9611926500	9611926500	9611926500	9611926500	9611926500
Δ	Service kit, EPDM/PTFE ..	8010014728	9611926648	9611926649	9611926650	9611926651	9611926652
Δ	Service kit, HNBR/PTFE ..	8010014729	9611926653	9611926654	9611926655	9611926656	9611926657
Δ	Service kit, FPM/PTFE ...	8010014730	9611926658	9611926659	9611926660	9611926661	9611926662
Δ	Service kit, EPDM/PEEK .	8010041460	8010041463	8010041466	8010041469	8010041472	8010041475
Δ	Service kit, HNBR/PEEK .	8010041461	8010041464	8010041467	8010041470	8010041473	8010041476
Δ	Service kit, FPM/PEEK ...	8010041462	8010041465	8010041468	8010041471	8010041474	8010041477

How to contact Alfa Laval

Contact details for all countries are continually updated on our website.

Please visit www.alfalaval.com to access the information directly.

© Alfa Laval Corporate AB

This document and its contents is owned by Alfa Laval Corporate AB and protected by laws governing intellectual property and thereto related rights. It is the responsibility of the user of this document to comply with all applicable intellectual property laws. Without limiting any rights related to this document, no part of this document may be copied, reproduced or transmitted in any form or by any means (electronic, mechanical, photocopying, recording, or otherwise), or for any purpose, without the expressed permission of Alfa Laval Corporate AB. Alfa Laval Corporate AB will enforce its rights related to this document to the fullest extent of the law, including the seeking of criminal prosecution.